



INDEX MAPS.

T.30N, R.13E.2nd Mer.



T.31N, R.13E.2nd Mer.



The figures on the lines refer to the page.

159

Township 10-30 North Range 1-13 East 2nd Mer. Indiana,

South Boundary

- West On South Boundary of Sec 36
 27.10 An Ash 10 in. diam.
 40.00 Set a q. Sec Post from which
 a Hickory 12 in. diam. bears S. 25 W. 6 links dist. &
 an Elm 12 " " " N 23 E 20 " "
 63.56 An Elm 24 " "
 80.00 Set Post Cor. to Secs 35 + 36 from which
 a Linn 12 in. diam. bears N. 80 E. 25 links dist. &
 an Ironwood 8 " " " S. 86 W. 24 " "
 Land rich. Timber, Beech, Sugar. Ash, &c,
 Undergrowth. Spice.

- West On South Boundary of Sec 35
 33.12 A Hickory 24 in. diam.
 40.00 Set a q. Sec Post. from which
 an Ash 8 in. diam. bears S 37 W 10 links dist. &
 a Hickory 12 " " " South 4 " "
 75.13 A W Oak 30 in. diam.
 80.00 Set Post corner to Secs 34 + 35 from which
 a Beech 10 in. diam. bears N. 52 E. 6 lks. dist. &
 a Linn 10 " " " S. 52 W. 10 " "
 Land &c, as before

- West On South Boundary of Sec 34
 32.78 A Beech 18 in. diam.
 40.00 Set a q. Sec Post from which
 a Beech 10 in. diam. bears N. 75 E. 8 links dist. &
 a Co 10 " " " S 78 - 20 " "
 68.69 A Beech 24 in. diam.
 73.00 Road
 80.00 Set a Post Cor. to Secs 33 + 34 from which
 a Beech 12 in. diam. bears S. 8 E. 51 links dist. &
 a Buckeye 12 " " " N. 55 W. 15 " "
 Land & Timber as before.

T 30 N. R. 13 E 2nd Mer. Indiana

West On South Boundary of Sec 33
 19.50 A Brook 10 links wide. Course S W
 22.00 A Beech 12 in. diam.
 40.00 Set a gr Sec Post. from which
 an Ironwood 10 in. diam. bears S 76 E 34 lks. dist. &
 a Beech 24 " " " S. 76 W. 18 " "
 49.50 A Brook 10 links wide. Course S W
 61.18 A Beech 24 in. diam.
 80.00 Set Post Cor. to Sec. 32 + 33 from which
 an Ash 12 in. diam. bears S 69 E 13 links dist. &
 a Cr 12 " " " S. 45 W. 10 " "
 Land & Timber as before.

West On South Boundary of Sec 32
 5.50 A Brook 75 links wide. Course S W
 10.00 Same 75 " " " S W
 22.65 A Beech 36 in. diam.
 40.00 Set a gr Sec Post from which
 an Ironwood 8 in. diam. bears S. 79 W. 7 lks. dist. &
 a Linn 12 " " " S. 26 W. 13 " "
 74.68 A W. Oak 36 " "
 80.00 Set Post Corner to Sec. 31 + 32 from which
 a W. Oak 30 in. diam. bears N 30 W 33 lks dist. &
 a Cherry 8 " " " S. 41 W. 2 " "
 Land & Timber as before

West On South Boundary of Sec 31
 31.79 A W. Oak 36 in. diam.
 40.00 Set a gr Sec. Post from which
 a Hickory 18 in. diam. bears N 60 E 9 links dist. &
 a R. Oak 8 " " " S 4 E 11 " "
 70.00 Intersected West Boundary. Cor of Towns 29 &
 30 North Sec. 1. 46 31 + 36.
 March 15 1820

East Boundary ~~val 5700 E.~~

North On East Boundary of Sec 36.

35.00 A Poplar 24 in. diam.

40.00 Set a gn Sec. Post from which
a Hickory 12 in. diam. bears S 71° W 24 links dis. 58
an Elm 8 " " " S 53° E 6 " "

65.62 An Ash 24 " "

80.00 Set Post cor. to Sec. 25 + 36 from which
a Hickory 12 in. diam. bears N 45° E 13 links dis. 58
a Beech 12 " " " N 17° W 19 " "
Land rich. Timber. Beech. Sugar. Ash &c.
Undergrowth Spice. &c.

North On East Boundary of Sec 25

32.69 A Sugar 12 in. diam.

40.00 Set a gn Sec. Post from which
a Beech 18 in. diam. bears N. 16° E. 10 links dis. 58
a Dogwood 8 " " " S. 32° E. 18 " "

80.00 Set Post Corner to Sec. 24 + 25 from which
a Red Oak 36 in. diam. bears S. 5° E. 26 links dis. 58
an Ash 10 " " " N. 13° W. 16 " "

Land &c. same as before.

March 16th 1820

North On East Boundary of Sec 24

20.00 A Beech 24 in. diam.

40.00 Set a gn Sec. Post from which
a Hickory 18 in. diam. bears S 42° W. 14 lks dis. 38
a Beech 18 " " " S 47° E. 19 " "

70.00 A Do 18 " "

80.00 Set Post Corner to Sec. 13 + 24 from which
a Beech 12 in. diam. bears S. 11° E. 29 lks dis. 58
a Do 6 " " " S. 66° E. 6 " "

Land & Timber as before.

North On East Boundary of Sec. 13

T 30 N. R 13 E Qna Mer Indiana.

- 27.00 A Brook 15 links wide. Course S 87 W
 35.30 A Beech 12 in. diam.
 40.00 Set a gr Sec Post from which
 a Maple 18 in. diam. bears S 30 W 15 lks dist &
 a Beech 10 " " " N. 72 E. 11 " "
 55.50 A Beech 12 in. diam.
 60.00 Set Post Corner to Sec. 12 & 13 from which
 an Elm 3 in. diam. bears S 10 E 17 lks dist &
 a Sugar 10 " " " N. 10 W 25 " "
 Sand &c as before described

- North On East Boundary of Sec 12
 14.10 A Sugar 30 in. diam.
 40.00 Set a gr Sec Post from which
 an Ironwood 8 in. diam. bears S 33 E 13 links dist &
 a Sugar 8 " " " S. 29 W. 7 " "
 46.00 A Creek 25 links wide Course S W
 59.08 A Beech 12 in. diam.
 60.00 Set a Post Cor. to Sec. 1 & 12 from which
 a Beech 10 in. diam. bears S 87 E 11 links dist &
 a Dr 10 " " " S. 48 W. 13 " "
 Sand &c as above.

- North On East Boundary of Sec 1
 25.40 A Sugar 24 in. diam.
 40.00 Set gr Sec. Post from which
 a Beech 30 in. diam. bears N 86 W 11 links dist &
 a Sugar 10 " " " N. 34 E. 11 " "
 60.60 Intersect Miamia Set Post from which
 an Elm 12 in. diam. bears S 41 W 11 links dist &
 a Hickory 10 " " " N. 23 E. 5 " "
 63.19 Over the River & set Post on the Left Bank
 from which
 a Burr Oak 30 in. diam. bears S 26 W 13 lks dist &
 a Sugar 24 " " " N. 41 W. 19 " "
 70.34 A Beech 12 " " "

- 81.60 Intersect the Tenn line at Post.
 Set Post Corner of Towns 30 & 31 North, Ranges.
 13 & 14 East. from which
 a Hickory 14 in. diam. bears N. 63 E. 25 links dist. &
 a B. Ash 6 " " " N. 50 W. 12 " "
 Surveyed by

North Boundary

- East On South Boundary of Sec 33. T 31 N. R 13 E
 From the Corner of Sec. 32 & 33 On the West
 line of J. B. Bouries Reserve. Var. 5° 45' E.
 East line of Bouries Reserve
 70.88 Intersect the Indian Reserve 12.31 links
 South of the N.E. Corner thereof.
 Set Post Corner from which
 a Beech 7 in. diam. bears N. 71 1/2 E. 36 lks dist. &
 a Poplar 30 " " " N. 71 1/2 E 36 " "
 80.00 Set Post Corner to Sec. 33 & 34 from which
 S. Ash 5 in. diam. bears N. 27 W. 5 links dist. &
 a Do 7 " " " N. 66 E. 26 " "
 Land level & 2nd rate. Timber. Ash. Oak.
 Hickory & Beech. Undergrowth Ironwood
 and Spice.

- East On South Boundary of Sec 34 T 31 N. R 13 E.
 22.52 Intersect West line of Kerschvals Reserve &
 Set Post. from which
 a Beech 7 in. diam. bears S. 35 E. 32 lks. dist. &
 a Do 13 " " " N. 31 W. 32 " "
 40.00 1/4 Sec. Corner in said Reserve
 80.00 Corner of Sec. 34 & 35 in Reserve
 Land level & met 2nd rate. Timber, Oak
 S. Ash & Beech. Undergrowth Ironwood &
 Elm & Spice.

T 30 N R 13 E 2nd Mer. Indiana

East On South Boundary of Sec 35

T 31 N R 13 E

East side of E. C. Kierchvals Reserve

6. 73 Set Post on Indian Reserve 47 40 North
of Corner on River line, from which
an Elm 4 in. diam. bears S. 23 E. 11 links dist. &
a Spruce 12 " " " N 50 E 15 " "
A Spruce 17 " "

- 40.00 Set a qz Sec Post from which
a Beech 14 in. diam. bears N. 1 E. 20 links dist. &
a W. Ash 13 " " " N. 42 W. 23 " "

April 23. 1824

- 61.57 A Hickory 14 in. diam.

- 79.67 A Beech 18 " "

- 80.00 Set a Post Cor to Sec. 35 & 36 from which
a Sugar 12 in. diam. bears S. 47 E. 12 links dist. &
a Hickory 14 " " " N. 57 1/2 W. 31 " "
Land & Timber same as last described.

East On South Boundary of Sec 36. T 31 N R 13 E

- 20.00 A Sugar 18 in. diam.

- 25.25 A Stream 25 links wide, Course, S.E.

- 40.00 Set a qz Sec Post from which
a Hickory 16 in. diam. bears S. 72 W. 19 links dist. &
a Red Oak 20 " " " S. 79 E. 26 " "

- 63.75 A Hickory 18 in. diam.

- 80.00 Set ^{Temp} Post Corner to Towns 30 & 31. R. 13 & 14 E.

Land & Timber as before

Surveyed by

David Willis C.S.

West Boundary var. 5° 45' E.

North On East Boundary of Sec 36. T 30 N R 12 E

- 4.50 A Brook 12 links wide, Course S.W.

- 40.00 Set qz Sec Post, from which
a Hickory 18 in. diam. bears S. 9 W. 33 links dist. &

T 30 N R 13 E 2nd Mer. Indiana.

50.00 a Hickory 15 in. diam. bears N 2 W 36 links dist.
 Set a Post Cor. to Sec. 25 & 36 from which
 a W. Oak 8 in. diam. bears N 20 E 9 links dist. &
 a Do 10 " " " S 50 E 16 " "
 Land 2nd water Timber Oak & Hickory.

North On East Boundary of Sec. 25 T 30 N R 12 E
 23.67 A W. Oak 12 in. diam.
 40.00 Set a gr. Sec Post from which
 a Beech 18 in. diam. bears N 6 E 22 links dist. &
 a Maple 15 " " " S. 6 W. 19 " "
 68.08 A Hickory 20 in. diam.
 69.00 A Brook 20 links wide. Course. S W.
 80.00 Set Post Cor. to Sec. 24 & 25 from which
 a Sugar 8 in. diam. bears N 53 E 10 links dist. &
 a Do 14 " " " S. 38 E. 25 " "
 Land & Timber as before.
 March 16th 1820

North On East Boundary of Sec. 24 T 30 N R 12 E
 28.50 An Elm 12 in. diam.
 40.00 Set a gr. Sec Post from which
 a Beech 20 in. diam. bears S. 40 W. 8 links dist. &
 a Do 10 " " " N. 17 E. 20 " "
 59.00 An Ash 20 " "
 80.00 Set Post cor. to Sec. 13 & 24 from which
 a Dogwood 8 in. diam. bears S 28 W 14 links dist. &
 a W. Oak 18 " " " N. 88 E. 11 " "
 Land &c. as before.

North On East Boundary of Sec. 13 T 30 N R 12 E
 40.00 Set a Post for $\frac{1}{4}$ Sec from which
 a W. Oak 24 in. diam. bears N. 81 E. 5 links dist. &
 a Hickory 20 " " " S. 26 W. 19 " "
 53.00 A Road. S E
 61.30 A W. Oak 7 in. diam.

T 30 N. R 13 E 2nd Mer. Indiana.

86.00 Set a Post corner to Sec? 12 + 13 from which
 an Ash 18 in! diam. bears N 63 E. 14 links dist &
 a Do 12 " " " N 79 W 4 " "
 Land & Timber same as before.

North On East Boundary of Sec 12. T 30 N. R. 12 E

30.00 A B. Oak 30 in! diam.

40.00 Set a gr. Sec Post from which
 a Beech 15 in! diam. bears S 50 W 14 lks. dist &
 a Do 12 " " " S 47 E 10 " "

50.00 A W. Oak 24 in! diam.

80.00 Set a Post Corner to Sec? 1 + 12 from which
 a B. Oak 6 in! diam. bears S 42 E 12 lks dist &
 a Beech 20 " " " N. 85 W. 19 " "
 Timber. Oak. Hickory.

North On East Boundary of Sec 1 T 30 N. R 12 E

33 90 Intersect the Maumee River & Set Post on
 the Right Bank. from which
 a W. Oak 18 in! diam. bears S 5 E 43 lks dist &
 a Do 24 " " " S. 83 E. 23 " "

March 17th 1820 Surveyed by
 John McDonald
 D. S.

37.57 To the Left Bank of River and Set a Post
 from which
 a Sycamore 24 in! diam. bears S 15 W. 7 lks dist
 & a Maple 6 " " " S. 80 E. 25 " "
 & Enter Prairie

40.00 Set gr Sec Post. from which
 a Cherry 18 in! diam. bears S 32 W. 119 lks dist
 & No other tree near.

46.50 Enter improvement

62.00 Enter Timbered Land

67.50 Enter Swamp

73.00 Left the swamp.

T 30-A R 13 E 2nd Mer. Indiana.

80.00 Set Post Cor to Towns 30 + 31 North Ranges
12 + 13 East. from which
a Burr Oak 20 in. diam. bears S 43 E 41 lks. dist.
& a Do 4 " " " S. 26 W. 9 lks. dist.
Land dry & rich in Prairie Timber
North of Prairie. Cherry. Walnut. Hazle. &c.
March 17th 1824 Benj. J. Blythe D.S.

Subdivisions

North Between Sec. 35 + 36

32.53 A Hickory 12 in. diam.

40.00 Set a q^r Sec Post from which

a Lynn 18 in. diam. bears S. 25 W. 26 links dist. &

a B. Ash 6 " " " N. 33 E. 28 " "

55.39 An Elm 15 in. diam.

80.00 Set a Post Corner to Sec. 25 + 26 35 + 36

from which

a Lynn 6 in. diam. bears S. 39 E. 35 links dist. &

a Sugar 18 " " " N. 49 W. 25 " "

Land level 2nd rate. Timber. Sugar. Elm.
Buck. Hickory. &c. Undergrowth Spice
& Water Buck

East On Random between Sec. 25 + 36

40.00 Set Temporary q^r Sec Post

70.00 A Run 15 links wide. Course S. W.

78.90 Intersect the East Boundary 92 links S.
of the Post

Land &c. same as before

West Corrected between Sec. 25 + 36

39.45 Set a q^r Sec Post at aver. dist. from which

a Buck 12 in. diam. bears S. 49 W. 5 links dist. &

an Ironwood 6 in. " " N. 59 E. 33 " "

78.90 To the Corner

T 30 S. R 13 E 2nd Mer. Indiana.

North Between Secs 25 & 26
 22.05 A W. Ash 18 in. diam.
 40.00 Set a gr. Sec. Post from which
 a Sugar 15 in. diam. bears N. 35 W. 40 links dist.
 to W. Oak 24 in. " " S. 19 E. 36 " "
 65.79 A Maple 18 " "
 80.00 Set a Post Cor. to Secs 23, 24, 25 & 26 from which
 a W. Ash 8 in. diam. bears N. 64 E. 26 links dist.
 a Red Oak 12 in. " " S. 71 W. 19 " "
 Land a little Rolling 2nd rate Timber
 same as before.

East On Random between Secs 24 & 25
 20.44 A Beech 12 in. diam.
 26.50 A Brook or Run 50 links wide. Course, S. W.
 40.00 Set Temporary gr. Sec. Post.
 80.10 Intersect the East Boundary 75 links South
 of the Post.
 Land for same as before.

West Corrected between Secs 24 & 25
 40.05 Set a gr. Sec. Post. at aver. dist. from which
 a Beech 15 in. diam. bears S. 77 E. 47 links dist.
 a W. Oak 6 " " " N. 82 W. 33 " "
 80.10 To Sec. Corner.

North Between Secs 23 & 24
 20.44 A Beech 24 in. diam.
 23.00 A Creek 50 links wide. Course N. E.
 40.00 Set a gr. Sec. Post from which
 a Beech 18 in. diam. bears S. 35 E. 60 links dist.
 to Do 12 " " " N. 25 W. 45 " "
 58.00 A Brook 5 links wide. Course W.
 64.70 A Beech 20 in. diam.
 80.00 Set a Post Cor. to Secs 13, 14, 23 & 24
 from which

T. 30 N. R. 13 E. 2nd Mer. Indiana.

a Hickory 20 in? diam. bears N 25 W 37 links dist
 a Do 18 " " " S. 16 E. 17 " "
 Land rolling 2nd rate. Timber. W. & R. Oak.
 Beech. Sugar. &c. &c. &c. Undergrowth
 Ironwood. &c.

East On Random between Sec. 13 & 24

32.00 A W. Oak 48 in? diam.

40.00 Set Temporary q. Sec. Post.

80.00 Intersect the East Boundary at Post.
 Land & Timber same as before.

West Corrected between Sec. 13 & 24

40.00 Set a q. Sec Post on true line from which
 a Beech 8 in? diam. bears N. 34 W. 15 links dist &
 a Linn 6 " " " S 37 E. 18 " "

80.00 To Sec. Corner

June 29th 1823

North Between Sec. 13 & 14

19.12 A W. Oak 24 in? diam.

40.00 Set a q. Sec. Post from which
 a Beech 12 in? diam. bears S. 22 W. 55 links dist &
 a Do 26 " " " N. 22 E. 48 " "

63.14 A Hickory 18 " "

72.00 A Brook 5 links wide, Course, S. W.

80.00 Set a Post Corner to Sec. 11. 12. 13 & 14 from which
 a Blue Ash 15 in? diam. bears S. 11 E. 19 links dist
 & a Beech 18 " " " N. 39 W. 39 " "
 Land rolling 2nd rate. Timber. Beech. Elm
 Sugar. Oak. Hickory. W. & Blue Ash &c.
 Undergrowth Spice. B. Ash. Ironwood
 & Nettles.

East On Random between Sec. 12 & 13

7.50 A Creek 30 links wide, Course, S. W.

T 30 N. R 13 E 2nd Mer. Indiana,

19.30 A W. Oak 40 in. diam.
 40.00 Set Temporary gr. Sec Post.
 56.62 A W. Oak 50 in. diam.
 80.88 Intersect the East Boundary 60 links. South
 of the Post.

Land rolling 2nd rate. Timber. W. & R.
 Oak. Elm. Beech, Sugar, Hickory, Poplar &c.

West Corrected between Sec. 12 & 13
 40.44 Set gr. Sec Post at aver. dist. from which
 a Beech 30 in. diam. bears S. 24 E. 17 links dist. 8
 a Poplar 15 " " " S. 63 W. 8 " "
 80.88 To Sec Corner

North Between Sec. 11 & 12
 5.00 A Run 5 links wide, Course S. E.
 12.00 A Creek 30 " " " West.
 21.00 To 3rd Wayne Road. West on a high Ridge
 23.34 To a Beech 20 in. diam.
 40.00 Set a gr. Sec. Post. from which
 a Beech 12 in. diam. bears S. 22 E. 24 links dist. 38
 a Sugar 30 " " " N. 24 W. 11 " "
 54.10 To a Spring
 54.50 A Creek 50 links wide. Course S. E.
 80.00 Set a Post Cor. to Sec. 1. 2. 11 & 12 from which
 a Poplar 36 in. diam. bears S. 78 E. 32 links dist. 8
 a Do 40 " " " N. 27 W. 30 " "
 Land rolling 1st rate. Timber. Sugar, Beech
 Poplar, Walnut, Buck Eye, R. Elm, Blue
 & W. Ash. Undergrowth. Spice, Pawpaw.

East On Randem between Sec. 1 & 13
 12.00 A Creek 50 links wide. Course
 40.00 Set Temporary gr. Sec Post.
 44.50 To a Creek 50 links wide. Course S. W.
 80.04 Intersect the East Boundary 16 lks. S. of Post.

771

T 30 N. R 13 E Dra. Ma. Indiana.

Land 1st rate. Timber same as before

West Connected between Sec? 1 & 2
 40.00 Set a gr Sec. Post from which
 a Beech 20 in? diam? bears S. 39 E. 35 links dist. &
 a Do 18 " " " N. 39 W. 30 " "
 50.04 To Sec. Corner

North Between Sec? 1 & 2
 17.50 A Creek 50 links wide. Course S. W.
 31.00 To the same 50 links wide, " S. E.
 35.34 Intersect the Maumee River East.
 Set Post Cor. to Sec? 1 & 2. Marked a Hackberry
 for Corner tree. from which
 Butternut 30 in? diam? bears S. 2 W. 33 lks dist.
 Land 1st rate. Bottom. Timber as before.
 July 1st 1823

North Between Sec? 34 & 35
 35.80 A W. Ash 24 in? diam?
 40.00 Set a gr Sec. Post from which
 a Hickory 20 in? diam? bears S. 15 W. 22 links dist. &
 an Elm 16 " " " N. 43 E. 5 " "
 75.33 A Hickory 24 in? diam?
 80.00 Set a Post Corner to Sec? 26. 27. 34 & 35 from which
 a Beech 16 in? diam? bears S. 49 W. 13 links dist. &
 a Do 12 " " " N. 49 E. 24 " "
 Land level 2nd rate Timber - W. Re + B. Oak
 Beech Sugar. Elm, &c. &c. Uneven growth
 Spice & Ironwood

East On Random between Sec? 26 & 35
 25.35 A Beech 18 in? diam?
 40.00 Set temporary gr Sec Post.
 55.00 A Small 50 links wide Course North.
 61 75 A Hickory 18 in? diam?

T 30 N R 13 E 2nd Mer. Indiana,

80.30 Intersect A + S line 6 links North of Post.
Land & same as before

West Connected between Secs 26 + 35

140.15 Set a gr. Sec. Post at aver. dist. from which
a Red Oak 16 in. diam. bears S 39 W 23 lks dist. &
a Sugar 18 " " " N 78 E 32 " "

80.30 To Sec. corner

North Between Secs 26 + 27

18.30 A Hickory 14 in. diam.

30.00 A Swail 30 links wide, course S. E.

140.00 Set a gr. Sec. Post. from which
a Burr Oak 20 in. diam. bears S 33 W 18 links dist.
a Buck 16 " " " N 71 E 14 " "

50.64 A W. Ash 36 " "

71.50 A Brook 10 links wide, course S. W.

80.00 Set a Post Corner to Secs 22, 23, 26 + 27 from which
a Buck 18 in. diam. bears S 21 E 33 links dist. &
a Do 12 " " " N 38 W 21 " "

Land rolling 2nd rate. Timber. W. Re &
Burr Oak. Hickory. Buck. Sugar. Elm.
Syc. &c. &c. Undergrowth Ironwood.
Spice. &c. &c.

East On Random between Secs 23 + 26

10.50 A Run 10 links wide, course S. E.

26.22 A W. Ash 20 in. diam.

40.00 Set Temporary gr. Sec. Post.

47.00 A Run or Creek, 30 links wide. Course ---

58.50 A Hickory 24 in. diam.

79.61 Intersect Sec. corner.

Land & same as before.

West Connected between Secs 23 + 26

39.80 Set a gr. Sec. Post at aver. dist. from which

T 30 N. R. 18 E. 2nd Mer. Indiana.

a Beech 20 in. diam. bears S. 51 E. 25 links dist. &
 a Do 24 " " " N. 39 W. 31 " "
 79.61 To the corner

North Between Sec. 22 + 23

20.22 A Beech 24 in. diam.
 32.50 A Brook 10 links wide. Course East.
 40.00 Set a gr. Sec Post from which
 a Beech 18 in. diam. bears S. 19 W. 11 links dist. &
 a Do 24 " " " N. 19 E. 37 " "
 64.75 A W. Oak 54 " "
 80.00 Set a Post Corner to Sec. 14. 15. 22 + 23 from which
 a Hickory 12 in. diam. bears S. 79 W. 19 links dist. &
 a Maple 10 " " " N. 67 E. 32 " "
 Land rolling. 2nd rate. Timber Beech. W. + B.
 Ash. Oak. Hickory. Sugar. &c. Undergrowth
 Spice. + Ironwoods.

East On Random between Sec. 14 + 23

39.50 A Creek 50 links wide. Course North.
 40.00 Set Temporary gr. Sec Post
 79.25 Intersect the N + S line 35 links North of Post.
 Land &c. same as before

West Correlated between Sec. 14 + 23

39.62 Set a gr. Sec Post at a var. dist. from which
 a B. Eye 6 in. diam. bears S. 5 E. 17 links dist. &
 a Plum bush 5 in. " " N. 5 W. 17 " "
 79.35 To the corner

North Between Sec. 14 + 15

28.23 A W. Oak 24 in. diam.
 40.00 Set a gr. Sec. Post from which
 an Ironwood 6 in. diam. bears S. 19 E. 14 links dist. &
 a Beech 12 in. " " N. 19 W. 22 " "
 63.70 A Hickory 12 in. diam.

T 30 N. R. 13 E 2nd Mer. Indiana.

80.00 Set a Post Corner to Secs. 10 11. 14 & 15 from which
 a Buckeye 12 in. diam. bears S 29 W 20 lks dist. &
 a Red Elm 10 " " " N. 52 E. 13 " "
 Land level 2nd rate. Timber. Beech,
 Sugar. Hickory. W. & R. Oak. Elm. Ash
 Buckeye Ash. &c. &c. Undergrowth.
 Spice. Ironwood. P. Ash. &c.

East On Random between Secs. 11 & 14
 31.00 A Creek 5 links wide. Course South.
 38.40 A Buckeye 24 in. diam.
 40.00 Set Temporary q. Sec. Post.
 52.00 A Creek 30 links wide. Course South.
 80.00 Intersect Section Corner.
 Land & Timber same as before

West Corrected between Secs. 11 & 14
 40.00 Set q. Sec Post on true line from which
 a Beech 10 in. diam. bears S. 2 W 35 links dist. &
 a Linn 12 " " " N. 4 E. 16 " "
 80.00 To Sec Corner.
 July 3^d. 1822

North Between Secs. 10 & 11
 17.50 A Stream 25 links wide, Course East.
 25.04 A Red Elm 24 in. diam.
 36.00 To 5th Wayne Road. Course W.
 40.00 Set a q. Sec Post from which
 a Sugar 14 in. diam. bears S. 33 E. 37 links dist. &
 a Buckeye 10 " " " N. 34 W 10 " "
 56.03 A Beech 20 " "
 80.00 Set a Post Corner to Secs. 2. 3. 10 & 11.
 from which
 a Beech 18 in. diam. bears S 64 W 26 lks dist. &
 an Ironwood 14 in. " " N 71 E 49 " "
 Land rolling 2nd rate. Timber. Oak. Beech

T 30 N R 13 E 2nd Mer Indiana,

Sugar, Hickory, Poplar, Walnut Ash
Buckeye, &c. Undergrowth Spice, B. Ash
& Ironwood,

East On Random between Sec. 2 & 11

40,00 Set Temporary gp Sec Post.

80,00 Intersect the S & E line 30 links North of Post
Land rolling Bottom 1st rate. Timber,
Oak, Beech, Sugar, Buckeye, Walnut, &c.
Undergrowth Spice & Pawpaw.

West Corrected between Sec. 2 & 11

40,00 Set a gp Sec Post, on true line, from which -
an Elm 14 in. diam. bears S 17 W 54 lks. dist. by
a Beech 24 " " " N 5 E 16 " "

80,00 To Sec. Corner

North Between Sec. 2 & 3

18.14 A B. Walnut 30 in. diam.

30,00 Intersect the Maumee River. S E

Set a Post Corner to Sec. 2 & 3 from which
a Blue Ash 25 in. diam. bears S 42 E 27 lks. dist. by
a Do 36 " " " S 57 W 22 " "

Land 1st rate Bottomy Timber. W. & Blue
Ash, Walnut, Buckeye &c. &c.

Undergrowth Spice, & Nettles

July 4th 1822

North Between Sec. 33 & 34

2.50 Cropped St. Wayne Road. West.

19.00 A Maple 24 in. diam.

40,00 Set a gp. Sec Post, from which
a Beech 12 in. diam. bears S 61 E 25 links dist. by
a Do 10 " " " N 78 W 18 " "

57.75 A Hickory 30 in. diam.

80,00 Set a Post Corner to Sec. 27. 28. 33 & 34 from which

T. 30 N. R. 13 E. 2nd Mer. Indiana,

a Beech 18 in. diam. bears S 61 E. 23 lks. dist. &
 a Do 12 " " " N 27 W. 32 " "
 Land a little rolling 2nd rate. Timber
 W. & R. Oak, Beech, Sugar, Hickory,
 Elm, Ash, Undergrowth, Ironwood,
 Spice, &c.

East On Random between Sec. 27 & 34

40,00 Set Temporary gp Sec Post.

80,00 Intersect the N & S line 10 links S. of Post,
 Land &c. same as before

West Corrected between Sec. 27 & 34

40,00 Set a gp Sec. Post on true line from which
 a Hickory 18 in. diam. bears S 63 E. 40 links dist.
 & a Sugar 12 " " " N. 66 W. 36 " "
 80,00 To Sec. Corner

North Between Sec. 27 & 28

40,00 Set a gp. Sec Post from which
 an Elm 12 in. diam. bears S 83 W. 37 lks dist. &
 a Syc 18 " " " N. 79 E. 31 " "

62,50 A Red Oak 36 in. diam.

80,00 Set a Post Corner to Sec. 21, 22, 27, & 28
 from which

a Burr Oak 20 in. diam. bears S 33 E. 31 lks dist.
 & a Do 16 " " " N. 20 W. 20 " "
 Land level 2nd rate. Timber. Burr. W.
 & Red Oak, Beech, Sugar, Hickory, Elm
 Syc. &c. &c. Undergrowth Spice & Ash

East On Random between Sec. 22 & 27

21,25 A Hickory 15 in. diam.

40,00 Set Temporary gp Sec Post.

80,16 Intersect the N & S line 30 links South of Post
 Land level & 2nd rate. Timber W. & B. Ash

177

T 30 N. R. 13 E. 2^d Mer. Indiana.

Elm. Hickory. Beech. Sugar. &c.

Note Corrected between Sec. 22 + 27

40.08 Set a gr. Sec Post at aver. dist. from which
a Lymn 8 in. diam. bears S. 50 E. 47 links dist. &
a Do 14 " " " N. 55 W. 27 " "
80.16 To Sec Corner.

North Between Sec. 21 + 22

16.10 A W. Oak 50 in. diam.

40.00 Set a gr. Sec Post from which
a Red Oak 10 in. diam. bears S. 73 E. 8 links dist. &
a Hickory 18 " " " N. 61 W. 49 " "

60.55 A Beech 12 " "

81.50 A Run 5 links wide. course S. N.

80.00 Set Post in or near the edge of a brushy swamp
Corner to Sec. 15 16. 21 + 22 from which
an Aspin 8 in. diam. bears S. 61 E. 16 links dist. &
a Do 6 " " " N. 53 W. 3 " "
Land rolling 2^d rate. Timber. W. + B. Oak
Beech. Sugar. Hickory. &c. &c.
Undergrowth Spice &c.

East On Random between Sec. 15 + 22

26.35 An Elm 24 in. diam. bears

40.00 Set temporary gr. Sec Post.

79.00 A Brook 10 links wide. course North.

80.00 Intersect the N. + S. line 80 links North of Post.

Land level 3^d rate. Timber. W. + B. Ash.
Elm. Lymn &c. &c.

Note Corrected between Sec. 15 + 22

40.00 Set a gr. Sec Post from which
a Beech 18 in. diam. bears S. 50 E. 21 links dist. &
a Do 15 " " " N. 33 W. 30 " "
80.00 To Sec. corner July 5th 1822

T 30 N. R 13 E 2nd Mer. Indiana.

North between Sec. 15 & 16

- 24.00 Left the Swamp bearing N.E.
 38.00 A Beech 20 in. diam.
 40.00 Set a gr. Sec Post from which
 a Beech 20 in. diam. bears S 19 W 5 links dist. &
 a Do 14 " " " N 19 E 24 " "
 58.00 A Run 10 links wide. Course S.E.
 63.04 A Red Oak 24 in. diam.
 80.00 Set a Post Corner to Sec. 9. 10. 15 & 16 from which
 a Red Elm 8 in. diam. bears S 20 W 16 lks dist. &
 a Do 10 " " " N. 32 E. 22 " "
 Land rolling + 1st rate. Timber. North of
 the Swamp. Beech. Sugar. Oak. Ash.
 Walnut. Buckeye &c. Undergrowth
 Pearvines + Nettles.

East On Random between Sec. 15 & 15.

- 40.00 Set Temporary gr. Sec Post
 46.00 A Creek 30 links wide. Course N.E.
 62.00 A W. Oak 20 in. diam.
 79.90 Intersect the N + S line 40 links N. of Post.
 Land level + 2nd rate. Timber. N. + R.
 Oak. Beech. Elm. B. Ash. Spruce. Sugar
 &c. &c. Undergrowth not described

West Corrected between Sec. 10 & 15

- 39.95 Set a gr. Sec Post at aver. dist. from which
 a Burr Oak 6 in. diam. bears S. 47 E. 16 lks dist. &
 a Beech 18 " " " N. 24 W. 8 " "
 79.90 3rd Sec corner

North Between Sec. 9. & 10

- 17.70 A Maple 24 in. diam.
 40.00 Set a gr. Sec. Post in a swampy Run N.E.
 from which
 a W. Ash 12 in. diam. bears S 57 E 10 links dist. &
 a Do 10 " " " N. 29 W. 24 " "

T 30 N R 13 E 2nd Mer. Indiana

64.00 Crossed the St. Wayne Road. W.
 69.94 A Beech 20 in. diam.
 80.00 Set a Post Cor. to Sec. 3. 4. 9. 10 from which
 a Poplar 8 in. diam. bears S. 29 W. 10 links dist.
 a B. Walnut 6 in. " " North 6 " "
 Land 2nd rate. Timber. Oak. W. + B. Ash,
 Elm. &c. &c.

East On Random between Sec. 10 + 3
 21.70 A W. Oak 48 in. diam.
 40.00 Set Temporary op Sec Post.
 80.35 Intersect the S + S line 8 links North of Post.
 Land a little rolling 2nd rate. Timber
 W. + B. Ash, Oak. Beech. Sugar,
 Walnut. &c. &c.

West Corrected between Sec. 3 + 10
 40.17 Set a gr. Sec. Post, at arer. dist. from which
 a Butternut 8 in. diam. bears S. 36 E 8 links dist.
 & a W. Ash 30 in. diam. " N 18 W 17 " "
 80.35 To Sec Corner

North Between Sec. 3 + 4
 10.30 Intersect the Maumee River S. E.
 Set a Post Corner to Sec. 3 + 4 from which
 a Mulberry 10 in. diam. bears S. 33 W. 12 links dist.
 a Red Elm 24 " " " S. 52 E 25 " "
 Land 1st rate & Indian clearing on old
 Improvement.

July 6th 1822

North Between Sec. 32 + 33
 5.00 A Brook 5 links wide. Course S W.
 9.00 A Do 5 " " " S E
 26.00 To St. Wayne Road. Course, West.
 40.00 Set a gr. Sec Post from which

T 30 N R 13 E 2nd Mer Indiana,

a Maple 18 in. diam. bears S. 30 W. 13 lbs. dist. &
 a Beech 15 " " " N. 30 E. 7 " "
 39.90 A Sugar 12 " "
 57.60 A Shovel 20 links wide. Course West.
 80.00 Set a Post Corner to Sec. 28. 29. 32 & 33
 from which
 a Beech 20 in. diam. bears S 75 E 6 lbs. dist. &
 a O 15 " " " N. 70 W. 50 " "
 Land rolling 2nd rate. Timber. Oak. Ash,
 Beech, Sugar, Elm &c &c Undergrowth
 Spice & Greenwood.

East - On Random between Sec. 28 & 33

40.00 Set Temporary 2nd Sec Post
 79.80 Intersect the N & S line 8 links E. of Post.
 Land level 2nd rate Timber. the same
 as before.

West - Corrected between Sec. 28 & 33

39.90 Set up the Post at aver. dist. from which
 a B. Ash 15 in. diam. bears S 52 E 48 lbs. dist. &
 a O 14 " " " N. 53 W. 18 " "
 79.80 To the corner

North Between Sec. 28 & 29

26.85 A Hickory 20 in. diam.
 40.00 Set a 2nd Sec. Post from which
 a Red Oak 20 in. diam. bears S 66 E 48 lbs. dist. &
 a Hickory 18 " " " N. 70 W. 75 " "
 69.84 A W. Oak 24 " "
 80.00 Set a Post Cor. to Sec. 20 21. 28 & 29 from which
 a W. Oak 48 in. diam. bears S. 20 W. 16 lbs. dist. &
 a Dogwood 6 " " " N 20 E 31 " "
 Land 2nd rate. Timber. Oak, Ash. Beech
 Sugar. Hickory. Elm, cherry. Undergrowth
 Greenwood plenty.

181

T 30 S. R 13 E. 2nd Mer. Indiana

East On Random between Sec. 21 + 28

22.00 A Birch 10 links wide. Course S.

22.80 A Hickory 14 in. diam.

40.00 Set Temporary q. Sec. Post.

79.75 Intersect the S + E line at Post.

Land &c. as before.

West Corrected between Sec. 21 + 28

39.87 - Hit a q. Sec. Post at aver. dist. from which
a Cherry 12 in. diam. bears S. 71 W. 20 links dist. &
an Iron rod 6 " " " N. 42 E. 17 " "

79.75 To Sec. Corner

North Between Sec. 20 + 21

21.00 A Burr Oak 20 in. diam.

26.50 A Birch 10 links wide. Course S. W.

40.00 Set q. Sec. Post from which

a Burr Oak 8 in. diam. bears S. 72 E. 7 links dist. &
an Aspin 14 " " " N. 72 W. 27 " "

41.00 To a Swampy Brushy Prairie S. E.

65.00 Left the Swamp

80.00 Set Post Cor. to Sec. 16 17. 20 + 21 from which
a Hickory 14 in. diam. bears S. 83 W. 5 links dist. &
a Maple 18 " " " N. 83 E. 53 " "

Land except the Swamp 2nd note. Timber
as usual.

East On Random between Sec. 16 + 21

20.00 A Beech 20 in. diam.

40.00 Set Temporary q. Sec. Post

55.00 To a Swamp N. E.

70.00 To Dry Land covered with saplings

80.00 Intersect N + S line 40 links North of Post.

Land 3rd note. Timber. B Ash Elm + Maple.

West Corrected between Sec. 16 + 21

T 30 N R 13 E Ind. Mer. Indiana.

40.00 Set a q. Sec Post on true line from which
an Elm 12 in. diam. bears S 66° W 18 links dis. &
a B. Ash 0 " " " S 76° E 25 " "
80.00 To Sec Corner

July 7th 1822

North Between Sec. 16 & 17

40.00 Set a q. Sec Post from which
a Hickory 16 in. diam. bears S 17° W 30 links dis. &
a Dogwood 8 " " " S 22° E 28 " "

59.00 A W. Oak 24 in. diam.

80.00 Set a Corner Post for Sec. 8, 9, 16 & 17 from which
a Hickory 12 in. diam. bears S 33° W 41 links dis. &
a Oak 18 " " " S 73° E 18 " "
Land level 2nd rate. Timber W. R. Oak,
Black Oak &c. Undergrowth Ironwood &c.

East On Random between Sec. 9 & 16

21.50 A W. Oak 20 in. diam.

40.00 Set Temporary q. Sec Post.

60.85 A W. Oak 26 in. diam.

79.80 Intersect the N. & S line at Post.

Land beautifully Rolling 2nd rate.
Timber W. & R. Oak, Beech, Sugar. &c.

West Connected between Sec. 9 & 16

59.90 Set a q. Sec. Post at acer. dist. from which
a Hickory 14 in. diam. bears S 37° E 43 links dis. &
a Oak 6 " " " S 18° W 9 " "

79.80 To Sec. Corner

North Between Sec. 8 & 9

19.90 A W. Oak 22 in. diam.

23.00 A Brook 8 links wide. Course N & E

40.00 Set a q. Sec. Post from which
a W. Oak 6 in. diam. bears S 20° E 5 links dis. &

T 30 N R 13 E 2nd Mer. Indiana,

an Ironwood 3 in. diam. bears S 14 W 7 lks dist &
 61.35 a Beech 16 " "
 63.50 To Mr Wayne Road West.
 75.50 A Brook 14 links wide. Course S E.
 78.70 Intersect the Maumee River East.
 Set Post Cor. to Sec. 8. & 9 from which
 a Buckeye 14 in. diam. bears S 59 E 27 links dist &
 a Do 16 " " " S 19 W 18 " "
 Land rolling 1st rate. Timber. Ash. Oak,
 Beech, Poplar, Sugar. Walnut, Buckeye
 Hackberry. &c.
 July 8th 1833

West Between Sec. 4 & 9
 5 25 Intersect the Maumee River S E.
 Set Post Cor. to Sec. 4 & 9 from which
 a W. Oak 6 in. diam. bears S 7 E 14 links dist &
 a Do 16 " " " N. 48 E 42 " "
 Land 2nd rate. No Timber of acct.
 An old Indian Improvement.

North Between Sec. 31 & 32
 20.08 A W. Ash 24 in. diam.
 40.00 Set a q. Sec Post from which
 a Hickory 6 in. diam. bears S 28 E 8 lks dist &
 a Do 10 " " " N 20 W 20 " "
 65.90 A W. Oak 12 in. diam.
 80.00 Set a Post Corner to Sec. 29. 30 31 & 32
 from which
 a W. Oak 16 in. diam. bears S 61 E 31 links dist &
 a Hickory 15 " " " N 56 W 10 " "
 Land, 2nd rate. Timber Oak. Hickory,
 & Ash. Undergrowth Ironwood,
 Hazle & Sumach.

East On Random between Sec. 29 & 32.

T 30 N R 13 E 2nd Mer. Indiana.

24.00 To St. Wayne Road Course & N

31.50 To a Brushy Swamp N.E

39.40 Left the Swamp.

40.00 Set Temporary ga Sec Post.

55.45 To a Sugar 18 in. diam.

80.00 Intersect S & S line at Post.

Land except the Swamp 2nd rate. Timber
Oak. Ash. Hickory, Beech, Sugar. &c.

West Corrected between Sec. 29 & 32

40.00 Set ga Sec Post on true line from which
a Burr Oak 24 in. diam. bears S 64 W 7 lks dist. &
a Maple 20 " " " N. 51 E. 22 " "

80.00 To Sec Corner

West Between Sec. 30 & 31

17.60 A Sugar 24 in. diam.

40.00 Set a ga. Sec Post from which
a Linn 6 in. diam. bears S 17 W 30 links dist. &
a W. Ash 15 " " " N. 21 E. 15 "

67.77 Intersect the West Boundary 104 links North
of the Post

Set Post Corner to Sec. 30 & 31 from which
a W. Oak 6 in. diam. bears S 44 E 21 links dist. &
a Do 8 " " " N. 56 E. 15 " "

Land same as before Timber. Oak. Ash
Hickory. Beech. &c. &c.

North Between Sec. 29. & 30

17.23 A Hickory 24 in. diam.

39.00 To St. Wayne Road. S W

40.00 Set a ga Sec Post. from which
a Beech 20 in. diam. bears S 18 W 23 lks. dist. &
a W. Oak 15 " " " N 20 E 26 " "

58.96 A Sugar 18 " "

80.00 Set a Post Corner to Sec. 19. 20. 29 & 30 from which

185

T 30 N. R. 13 E Ind. Mer. Indiana,

a Burr Oak 36 in. diam. bears N. 54 W. 41 links dist. &
 a Hickory 12 " " " N. 55 E. 55 " "
 Land lot 2nd rate, Timber, W. + Burr Oak.
 Buck. Sugar. Hickory. Ironwood. Undergrowth
 Hazle. &c. &c.

East On Random between Sec. 20 + 29
 28.00 A W. Oak 20 in. diam. at the edge of Prairie
 40.00 Set Temporary gp Sec Post in the Prairie
 60.00 Left the Prairie
 79.80 Intersect the N + S line 40 links North of the Post.
 Land except the wet or swamp Prairie 2nd
 rate, Timber. Oak. Buck. Sugar. Hickory.
 Lynn, &c. &c.

West Corrected between Sec. 20 + 29
 39.90 Set a gp Sec. Post at ar. dist. in Mound.
 from which
 an Aspin 10 in. diam. bears N. 75 W. 430 lks. dist.
 79.80 to Sec. corner.

West Between Sec. 19 + 30
 23.00 To St. Wayne Road N. W.
 40.00 Set a gp Sec. Post. from which
 a W. Oak 14 in. diam. bears S. 63 E. 52 links dist. &
 a Buck 12 " " " N. 52 W. 6 " "
 61.75 A Do 18 " "
 67.30 Intersect the West Boundary 1.15 links
 North of the Post.
 Set a Post Cor. to Sec. 19 + 30 from which
 a Buck 15 in. diam. bears S. 22 E. 6 links dist. &
 a Sassafras 6 " " " N. 41 E. 44 " "
 Land &c. same as before.

North Between Sec. 19 + 20
 25.06 A Hickory 15 in. diam.

T 30 N. R 13 E Twp. Indiana.

- 34.00 A Buck 12 links wide. Course East.
 40.00 Set a gr. Sec. Post from which
 a Hickory 12 in. diam. bears S. 21 E. 27 lks. dist. &
 a Do 15 " " " N. 45 W. 3 " "
 65.05 A Buck 18 " "
 80.00 Set a Post corner to Sec. 17. 18. 19 & 20 from which
 a W. Ash 16 in. diam. bears S. 57 W. 58 links dist. &
 a Hickory 14 " " " N. 80 E. 29 " "
 Land level 2nd rate. Timber Oak. Sugar
 Buck. Sugar. Elm. Hickory.
 Undergrowth Water Buck & Iron wood.

East On Random between Sec. 17 & 20.

- 25.55 A Hickory 20 in. diam.
 40.00 Set a gr. Sec. Post (Temporary)
 57.00 A Nail. 20 links wide. Course S. W.
 79.80 Intersect S & S line 40 links North of Post.
 Land level 2nd rate. Timber. Oak. Buck.
 Hickory. Sugar. Elm. &c. &c.

West Connected between Sec. 17 & 20.

- 39.90 Set a gr. Sec. Post at aver. dist. from which
 a Sugar 15 in. diam. bears S. 77 W. 35 links dist. &
 a W. Oak 6 " " " N. 81 E. 10 " "
 79.80 Intersection corner

West Between Sec. 18 & 19

- 40.00 Set a gr. Sec. Post. from which
 a Sugar 8 in. diam. bears S. 47 W. 30 links dist. &
 a W. Oak 24 " " " N. 34 E. 34 " "
 54.00 To Ft. Wayne Road S. W.
 69.56 Intersect Town line 134 links North of Post.
 Set a Post Corner to Sec. 18 & 19 from which
 a Buck 16 in. diam. bears S. 74 E. 62 lks. dist. &
 a Do 15 " " " N. 57 E. 54 " "
 Land level 2nd rate. Timber. Buck. W. & B Oak.

187

T 30 N. R 13 E Ind. Mer. Indiana.

Sugar. Hickory, Elm. Undergrowth Iron woods, &c.
July 9th 1822

North Between Secs. 17 & 18

33.75 A Beech 12 in. diam.

40.00 Set a gr. Sec. Post. from which
a Beech 12 in. diam. bears S. 60 E. 47 links dist. &
a Sugar 13 " " " N. 69 W. 53 " "

67.10 A Hickory 20 in. diam.

80.00 Set a Post Cor. to Secs. 7, 8, 17 & 18 from which
a W. Oak 20 in. diam. bears S 36 E 54 links dist. &
a Hickory 8 " " " N. 15 W. 40 " "

Land level Ind. water. Timber W. Oak. Beech,
Hickory. Sugar, &c. &c.

East On Random between Secs. 8 & 17

33.00 A Brook 10 links wide. Course S. E.

40.00 Set Temporary gr. Sec. Post

79.70 Intersect the S & S line 50 links North of Post.
Land & Timber same as before Undergrowth
Sapapas. & Ironwoods.

West Corrected between Secs. 8 & 17

39.85 Set a gr. Sec. Post from which (at area dist.)
a Beech 18 in. diam. bears S 6 E 38 links dist. &
an Ironwood 8 in. " " S 6 W 21 " "

79.70 To Sec. Corner

West Between Secs. 7 & 18

21.50 A Hickory 15 in. diam.

24.50 A Brook 12 links wide. Course S E.

40.00 Set a gr. Sec. Post. from which
a R. Oak 28 in. diam. bears S 12 E 16 links dist. &
a Beech 24 " " " N. 12 W. 48 " "

70.77 Intersect the West Boundary 1.50 North of Post.
Set a Post Cor. to Sec. 7 & 8 from which

T 30 N. R 13 E 2nd Mer Indiana.

a B. Ash 24 in. diam. bears S. 58 E. 27 links dis. 48
 a Do 8 " " " N 52 E. 15 " "
 Land 2nd rate. Timber. W. Oak. Ash.
 Buck. Sugar. &c. &c.

North Between Sec. 7 & 8

18.48 A Sugar 24 in. diam.
 35.00 A Brook 12 links wide. Course S. E.
 40.00 ^{Set a Post from which} a Buckeye 12 in. diam. bears S. 78 E. 68 links dis. 48
 a W. Oak 24 " " " N. 81 W. 70 " "
 50.00 Set a Post cor. to Sec. 5. 6. 7 & 8 from which
 a Buck 30 in. diam. bears S. 67 W. 30 links dis. 48
 a Do 14 " " " S. 28 E. 60 " "
 Land a little rolling 2nd rate. Timber. Oak.
 Buck. Sugar. Hickory. Ash &c. &c.

East On ~~Road~~ between Sec. 5 & 8

19.44 A Hackberry 24 in. diam.
 40.00 Set a gr. Sec Post from which
 a Buckeye 12 in. diam. bears S. 47 W. ⁸⁴ links dis. 36
 a Honey Locust 30 in. " " S. 13 E. 36 " "
 53.25 Intersect the Maumee River S. E.
 Set a Post Cor. to Sec. 5 & 8 from which
 a Box Elder 8 in. diam. bears S. 30 E. 19 links dis. 48
 a Maple 18 " " " N. 27 W. 48 " "
 Land overgrown Bottom, Timber. mostly
 Buckey. Hickory. Hackberry. Sycamore &c. &c.

West Between Sec. 6 & 7

10.00 A Brook 4 links wide. Course S. E.
 30.43 A B. Walnut 14 in. diam.
 40.00 Set a gr. Sec Post from which
 an Elm 12 in. diam. bears S. 84 W. 46 links dis. 48
 a Buck 20 " " " N. 84 E. 47 " "
 51.00 A Run 10 links wide. Course, S. E.
 72.50 Intersect the West Boundary 1.82 links North

T 30 N. R 13 E Ora Mu. Indiana.

of Post. Set Post Cor. to Sec? 6 & 7 from which
a Beech 18 in. diam. bears S. 52 E. 1.25 links dist. &
a Red Oak 30 " " " N. 14 E 1.25 " "
Land rolling 2nd rate. Timber W & Burr Oak
Beech. Sugar. &c. &c.

North Between Sec? 5 & 6

1. 50 To the F. Wayne Road. Course West

5. 00 A Brook 5 links wide. Course S. E.

15 46 Intersect the Maumee River. E

Set Post Cor. to Sec? 5 & 6 from which
a Cherry 10 in. diam. bears S. 6 E. 53 links dist. &
an Elm 5 " " " N. 20 W. 3 " "

Land 2nd rate.

July 11th 1823

Meanders on the Right Bank of the
Maumee River in Town 30 & 8th Range
13 East. From the Town line between
Ranges 13 & 14. Thence up the River.

Courses Distances Remarks Var. 5th 00 E.

S 47 W 5.73

S 9 E 10.50

S 28 W 4.00

S 75 W 7.50

N 35 W 13.30 At 150 the mouth of a creek 30 links wide

S 63 W 9.50 Bottom

S 34 W 6.50

S 72 W 21.50

N 80 W 28.50 Intersect the Section line between Sec?
1 & 12 & at 27.00 A Creek 100 links wide

N 85 W 15.50

S 26 W 7.00

S 18 W 21.80

T 30 N R 13 E 2nd Mer. Indiana.

N 88 W 6.80

N 78 W 27.00

N 62 W 7.30

N 55 W 6.40 Cropped a Deep Ravine

N 50 W 11.00 Intersect Sec. line between Secs. 2 & 3

Bottom

A 7.00 opposite the lower end of a large
Island and opposite a heavy at this
Post.
July 4th 1823

N 50 W 5.00

Bottom

N 29 W 17.43 At 1400 Upper end of an Island.

N 60 W 7.40

N 87 W 8.72

S 62 W 8.00

In Section 3

S 43 W 10.85

S 50 W 8.63

S 53 W 18.50

S 57 W 16.00

Bottom

S 40 W 6.50 Intersect line between Secs. 3 & 4

S 27 W 11.70 Intersect line between Secs. 4 & 9

S 20 W 6.30

High Bank

S 49 W 5.60

N 88 W 5.85

In Section 9

N 58 W 7.00 At 300 A Run 20 links wide fr. South

N 48 W 10.00

N 82 W 5.00

S 82 W 15.00

Note 2413 At 1300 a Run 20 links wide fr. S W.

S 76 W 5.00 Intersect line between Secs. 8 & 9

S 80 W 5.90

N 88 W 12.90

N 64 W 3.23

In Sec 8

comp.

191

T 30 N R 13 E 2nd Mer. Indiana.

N 82 W 4.30

N 48 W 1.20 Intersect line between Sec. 5 & 8.

N 48 W 18.50

N 83 W 17.50 In Sec 5

S 82 W 9.50

N 84 W 7.50 Mouth of a Run 5 links wide fr. S.E.

N 72 W 5.36 Intersect the line between Sec. 5 & 6

N 75 W 9.50 High Bank.

N 68 W 5.00

N 40 W 7.37 In Sec. 6

N 54 W 16.80

West 21.00 At 17.50 a Brook 20 links wide fr. South

S 6 W 6.22

S 52 W 6.70 High Bank.

S 88 W 5.00

S 84 W 2.33 Intersect the Range line between R:^s

12 & 13

July 10th 1822

Surveyed in 1822
by James Riley D.S.

Subdivisions of the United States Reserve
North At 5th Wayne South of the Maumee

North Between Sec. 8 & 9

1. 28 Corner of Sec. 4. 5 8 & 9 in the River.

North Between Sec. 4 & 5

2. 87 To North Bank of Maumee. & set Post
from which a

Buckeye 12 in. diam. bears N. 72 E. 29 lks dist. & a
Dr 12 " " " S. 89 W. 9 " "

3. 36 A Tremble Sycamore 10 feet in diam.

7. 03 A Hackberry 10 in. diam.

38. 68 A Brook 20 links wide. Course, S.E.

T 30 N. R 13 E 2nd Mer. Indiana

- 33.50 A Brook 20 links wide Course S W.
 34.00 Do 50 " " South
 40.00 Set a gr. Oak Post from which
 a Hackberry 10 in. diam. bears N. 70 W. 8 links dist. &
 a Sugar tree 4 " " " S. 40 E. 19 " "
 51.00 A Buckeye 15 " "
 63.50 A Brook 25 links wide. Course W.
 80.28 Intersect the North Boundary of Town 30 N.
 Range 13 East & set a Post Corner to Sec.
 4 & 5 from which
 a B. Oak 24 in. diam. bears S. 46 W. 45 links dist. &
 a Beech 24 " " " N. 60 E. 56 " "
 Land 1st rate. Timber. Beech. Sugar. Ash
 Walnut &c. Undergrowth Spice &c.
 March 18th 1824.

- North Commencing on the South Bank between
 15.46 Sec. 5 & 6
 19.86 To North Bank of the Maumee from which
 a H. Locust 12 in. diam. bears S 39 E 24 lks dist. &
 a Maple 15 " " " N. 45 W. 5 " "
 Enter Prairie
 40.00 Set gr. Oak Post in Prairie from which
 a Willow 8 in. diam. bears N. 19 E. 17 lks dist. &
 41.50 a Do 6 " "
 42.50 Enter Swamp & Left the Prairie
 46.00 Left Swamp
 56.70 A W. Oak 24 in. diam.
 69.75 A Brook 4 links wide. Course S. W.
 77.67 Intersect the North Boundary 1.40 links
 East of Post from which
 a W. Oak 30 in. diam. bears N. 76 E. 46 lks. dist. &
 a Do 30 " " " S. 79 W. 96 " "
 Corner to Sec. 5 & 6
 Prairie dry 3rd rate last 1/2 mile part Mt. Timber
 Oak. Mar. 19th 1824

193

T 30 S. R 13 E Ind. Terr. Indiana.

Meanders of the Maumee River

Beginning on the Left Bank at Post on line
dividing Sec. 4 + 5 in Twn. 30 North, Range
13 East. Thence up the River

Courses	Distances	Remarks.
S 78° W	2.50	
S 87° W	7.00	
N 85° W	13.00	
N 46½° W	5.00	In Sec. 5
N 28° W	3.00	
N 18° W	14.00	House + Improvement
N 82° W	15.00	At 1.50 an Inlet of Swamp. 3.50 links wide. from the N 46½° At 13.50 Enter Prairie.
S 89° W	15.20	
N 79½° W	10.80	Intersect the line between Sec. 5 + 6 at the Post on the North Bank of the Maumee. Land 1 st rate. lies low. Timber below Post. Hackberry, Walnut, &c Undergrowth Spice + Thorn

N 79½° W	5.00	Through Sec 6
N 67° W	6.50	
N 44° W	8.00	
N 42° W	6.00	
N 50° W	9.00	
N 70° W	7.50	
N 87° W	10.00	Improvement on the South side
S 83° W	12.00	
S 59° W	12.00	
N 85½° W	5.71	Intersect the Range line between Ranges 12 + 13 at Post Land 1 st rate. Prairie. High + Dry Banks, fine on the N. side of Maumee April 7 th 1824 Surveyed by B. J. Blythe. D. J.

T 30 N. R 13 E 2nd Mer. Indiana.

Survey of Fraction of T 30 N. R 13 E
 On the North side of the Maumee River
 North Between Sec 3 & 4
 17. 11 To the North side of Maumee
 An Elm 10 in. diam. for Meander Post.
 38. 00 Enter West West Prairie
 40. 00 Set 9th Sec Post from which
 a Butternut 6 in. diam. bears S. 1 E. 7. 92 links dis.
 & a Willow 5 " " " S 70 E 79 "
 49. 00 Leave West Prairie
 59. 61 An Elm 10 in.
 81. 58 Intersect the West Boundary 36 links West
 of the Post. Set Post Corner to Sec. 3 & 4
 from which
 a Black Ash 6 in. diam. bears S. 22 1/2 E. 26 links dis.
 & a Do " 9 " " " S. 39 W. 5 " "
 Land rolling 1st rate. Timber. Sugar. Elm
 W. Ash Oak &c

North Between Sec 1 & 2
 40. 79 Over Maumee where a
 Cottonwood 12 in. diam. is Meander Post.
 59. 59 A Buck 12 " "
 63. 69 Intersect North Boundary 90 links East of Post
 Set a Post Cor. to Sec. 1 & 2 from which a
 Buck 8 in. diam. bears S 7 E 46 links dis. & a
 Do 8 " " " " S. 58 W. 29 " "
 Land gently rolling 1st rate Timber. Sugar
 Buck. Buckeye, &c.

Meanders of the Maumee River in Sec. 3.
 in T 30 N. R 13 E.
 Beginning at the Meander Post on said
 River. upper Corner of Eliza C. Kitcher's
 River. Thence up Stream.

195

T 30 N R 13 E 2nd Mer. Indiana.

Courses	Distances	Remarks
S 61 1/2 N	12.00	
S 55 N	15.00	
S 21 N	106	To Meander Post between Sec. 3 & 4
S 57 N	2.50	
S 37 N	3.50	In Sec 4
S 23 N	7.00	
S 28 N	2 7/9	To Meander Post lower corner of Bouries Reserve. March 15th 1829

Meanders of the Left Bank of Maumee River
in Town 30 North Range 13 East.
Beginning at the lower corner of E. C. Kercheval's Reserve at Meander Post and thence
down Stream.

S 31 E	9.00
S 54 1/2 E	12.00
S 65 E	3.00
S 67 E	4.00
S 77 E	14.00
S 83 1/2 E	5.00
S 67 E	3.00
S 87 1/2 E	5.50
N 4 E	5.00
N 11 E	15.00
N 41 1/2 E	5.00
N 75 E	5.00
S 88 1/2 E	5.00
S 82 E	5.00
S 73 E	3.30
To Meander Post between Sec. 1 & 2	

N 75 1/2 E	2.00
S 83 1/2 E	3.00
S 85 1/2 E	7.50
S 68 E	4.50

T 30 N R 13 E 2nd Mer. Indiana

S 67 E 3.00

S 76 1/2 E 6.00

N 86 E 8.50

N 69 E 11.00

N 48 1/2 E 13.50

N 82 1/2 E 4.50

S 86 1/2 E 5.00

S 35 E 3.00

S 40 E 7.50

N 50 E 2.00

N 67 1/2 W 3.00

N 36 W 11.00

N 39 E 8.50

N 55 1/2 E 4.00

S 68 1/2 E 6.10 To Meander Post on Range line

March 16th 1829Commenced this Tract? Town March 15th &
finished it March 16th 1829

Wm. Brookfield

Dep^t. Surveyor

Pursuant to a contract dated the 4th of Nov^r 1828. and instructions from Edward Tiffin Surveyor General of the United States. I have surveyed and subdivided into Sections the foregoing Township in the Ft. Wayne District in the State of Indiana Described in said Contract and Certify that the foregoing are the correct & true Field Notes of the lines which they purport to be, as part of said Contract

Certified this 4th day of May 1829William Brookfield
Dep^t. Surveyor

197

T 30 N. R 13 E 2nd Mer. Indiana.

I Certify that the foregoing transcripts
of the Field Notes of Township 30 North
Range 13 East of the 2nd Mer. in the
State of Indiana. has been compared with
the original Notes in this Office and
found to be Correct.

Surveyor General's Office
Cincinnati Oct 30 1844

William Johnston
Sur. Genl.